



EuralPack

## Declaration of Compliance

### VACo9o – VAPo9o

These products comply with the following legal requirements or recommendations :

- EU-Framework Regulation on materials and articles intended for food contact: (EC) No. 1935/2004
- Lebensmittel-, Futtermittel- und Bedarfsgegenständegesetzbuch (LFGB) §§30 and §§31
- Bedarfsgegenständeverordnung of April 10h, 1992
- Regulation (EU) No. 10/2011 relating to Plastic Materials and Articles intended to come in contact with foodstuffs 10/2011 including amendments and corrections 1282/2011, 1183/2012, 202/2014, 865/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/1338 and 2020/1245
- GMP-Regulation (EC) No. 2023/2006 of December 22nd, 2006 on good manufacturing practice for materials and articles intended to come into contact with food
- European Parliament and Council Directive 94/62/EC of December 20th, 1994 on packaging waste and the CONEG "Coalition of Northeastern Governors"
- Swiss legislation on food contact materials - article 34 of the Foodstuffs and Utility Articles Ordinance SR 817.02
- Swiss Ordinance on materials and articles in contact with food SR 817.023.21

#### BfR

Rohstoffe/Zusammensetzung stimmen mit den folgenden Empfehlungen des Bundesinstituts für Risikobewertung (BfR) überein: / *Raw materials/composition comply with the following Bundesinstitut für Risikobewertung (BfR) recommendations:*


#### Recommendation III/BfR (2021)

Polyethylene

#### Recommendation XIV/BfR (2022)

Plastics Dispersions

*EuralPack nv - Wijtschotbaan 9, B-2900 Schoten - Tel. +32(0)3 354 14 42 - Fax +32(0)3 354 36 16  
KBO 0451.834.017 - KBC 416-3222601-61- IBAN BE62 4163 2226 0161 – BIC KREDBEBB  
info@euralpack.com - www.euralpack.com*



EuralPack

**Recommendation XXXVI/BfR (2022)**

Paper and board for food contact

**Recommendation X/BfR (2013)**

Polyamides

**FDA**

*Under suitable conditions of use the above mentioned laminate complies with the following FDA-regulations:*

21 CFR 175.105 (rev. 2022) - Adhesives

21 CFR 177.1350 (2020) - Ethylene-vinyl acetate copolymers

21 CFR 177.1500 (2020) - Nylon resins.

21 CFR 177.1520 (2020) - Olefin polymers.

21 CFR 176.170 (rev. 2022) - Components of paper and paperboard in contact with aqueous and fatty foods.

For food types I-IX at conditions E-G.

21 CFR 175.300 (rev. 2022) - Resinous and polymeric coatings.

21 CFR 175.320 (2020) - Resinous and polymeric coatings for polyolefin films.

21 CFR 177.1395 (2020) - Laminate structures for use at temperatures between 120°F and 250°F (49-121°C)

Should be used only for laminates complying with .21.CFR.177.1395. Additionally, the product may be used in: cook-in-bag/package film applications and in multi-layer film applications at temperature up to 375°F for 4 hours.

21 CFR 177.2600 (2020) - Rubber articles intended for repeated use.

21 CFR 178.3297 (2020) - Colorants for polymers.

21 CFR 178.2010 (2020) - Antioxidants and/or stabilizers for polymers.


21 CFR 178.3750 (2020) - Polyethylene glycol (mean molecular weight 200-9,500)

21 CFR 182.8994 (2018) - Zinc stearate.

**Migrational requirements**

Type(s) of food intended to come into contact with the material:

*EuralPack nv - Wijtschotbaan 9, B-2900 Schoten - Tel. +32(0)3 354 14 42 - Fax +32(0)3 354 36 16  
KBO 0451.834.017 - KBC 416-3222601-61- IBAN BE62 4163 2226 0161 – BIC KREDBEBB  
info@euralpack.com - www.euralpack.com*



EuralPack

*all food types (EU)*

Type(s) of food NOT intended to come into contact with the material:

*no restriction*

Duration and temperature of treatment and storage while in contact with the food:

*Migration testing according OM 2: any long term storage at room temperature or below, including when packaged under hot-fill conditions, and/or heating up to a temperature T where  $70^{\circ}\text{C} < T < 100^{\circ}\text{C}$  for a maximum of  $t = 120/2^{((T-70)/10)}$  minutes (that is meaning: any long term storage at room temperature or below, including heating up to  $70^{\circ}\text{C}$  for up to 2 hours or heating up to  $100^{\circ}\text{C}$  for up to 15 minutes).*

Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article:

*bis/up to  $15\ \mu\text{m}$  PA -->  $20\ \text{dm}^2 / 1\ \text{kg LM}$ ; bis/up to  $20\ \mu\text{m}$  PA -->  $15\ \text{dm}^2 / 1\ \text{kg LM}$ ; bis/up to  $30\ \mu\text{m}$  PA -->  $10\ \text{dm}^2 / 1\ \text{kg LM}$ ; bis/up to  $40\ \mu\text{m}$  PA -->  $7\ \text{dm}^2 / 1\ \text{kg LM}$ ; bis/up to  $70\ \mu\text{m}$  PA -->  $4\ \text{dm}^2 / 1\ \text{kg LM}$*

*The global migration values are lower than the threshold values of  $10\ \text{mg/dm}^2$  (für the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No 10/2011 in conjunction with Annex V.*

**Specific migration limit (SML- / QM-values)**

Name of substance	FCM No	CAS	Restrictions	Validation by
1,6-DIAMINOHEXANE	305	0000124-09-4	SML 2.4 mg/kg	supplier declaration
1-HEXENE	356	0000592-41-6	SML 3 mg/kg	supplier declaration
1-OCTENE	264	0000111-66-0	SML 15 mg/kg	supplier declaration
2,6-DI-tert-BUTYL-4-ETHYLPHENOL	477	0004130-42-1	SML 4.8 mg/kg	supplier declaration
2,6-DI-tert-BUTYL-p-CRESOL (BHT)	315	0000128-37-0	SML 3 mg/kg	supplier declaration
4-tert-BUTYLPHENOL	186	0000098-54-4	SML 0.05 mg/kg	supplier declaration



EuralPack

ACETALDEHYDE	128	0000075-07-0	SML 6 mg/kg	supplier declaration
ACETIC ACID	115; 10	0000064-19-7	SML 60 mg/kg	supplier declaration
ACETIC ACID, VINYL ESTER	231	0000108-05-4	SML 12 mg/kg	supplier declaration
Aluminium (Al), incl. fibres, flakes and powders	501	0007429-90-5	SML 1 mg/kg	supplier declaration
Antimony (Sb)		0007440-36-0		supplier declaration
Arsenic (As)		0007440-38-2		supplier declaration
Barium (Ba)		0007110-39-		supplier declaration
CALCIUM CARBONATE	21	0000471-34-1	SML 60 mg/kg	supplier declaration
CALCIUM OXIDE	395	0001305-78-8	SML 60 mg/kg	supplier declaration
CAPROLACTAM	212	0000105-60-2	SML15 mg/kg	Supplier declaration
CITRIC ACID	139	0000077-92-9	SML 60 mg/kg	supplier declaration
Cadmium (Cd)		0007440-43-9		supplier declaration
Calcium stearate	106	0001592-23-0	SML 60 mg/kg	supplier declaration
Chromium (Cr)		0007440-47-3		supplier declaration
Cobalt (Co)		0007440-48-4		supplier declaration
Copper (Cu)		0007440-50-8		supplier declaration
Diethyleneglycol	263	0000111-46-6	SML 30 mg/kg	supplier declaration
Ethylene oxide	129	0000075-21-8	QM 1 mg/kg DL 0.01 mg/kg	supplier declaration
Ethylenimine	334	0000151-56-4	DL 0.01 mg/kg	supplier declaration
Ethylenglycol	227	0000107-21-1	SML 30 mg/kg	supplier declaration
Formaldehyde	98	000050-00-0	SML 15 mg/kg	supplier declaration
Hexafluoropropylene	282	0000116-15-4	DL 0.1 mg/kg	supplier declaration




EuralPack

Iron (Fe)		0007439-89-6		supplier declaration
Iron Oxide	409	0001332-37-2	SML 48 mg/kg	supplier declaration
Lead (Pb)		0007439-92-1		supplier declaration
Lithium (Li)		0007439-93-2		supplier declaration
Magnesium Oxide	397	0001309-48-4	SML 60 mg/kg	supplier declaration
Maleic anhydride	234	0000108-31-6	SML 30 mg/kg	supplier declaration
Manganese (Mn)		0007439-96-5		supplier declaration
Mercury (Hg)		0007439-97-6		supplier declaration
Nickel (Ni)		0007440-02-0		supplier declaration
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	433	0002082-79-3	SML 6 mg/kg	supplier declaration
Polyethyleneglycol 200	638	0025322-68-3	SML 60 mg/kg	supplier declaration
Polyethyleneglycol sorbitan monolaurate	568	0009005-64-5	SML 60 mg/kg	supplier declaration
Phosphorous acid, mixed 2,4-bis(1,1-dimethylpropyl)phenyl and 4-(1,1-dimethylpropyl)phenyl triesters	974	0939402-02-5	SML 10 mg/kg	supplier declaration
Polyethyleneglycol (EO=1-50) ethers of linear and branched primary (C8-C22) alcohols	799		SML 1.8 mg/kg	supplier declaration
Quartz	616	0014808-60-7	SML 60 mg/kg	supplier declaration
Silicon dioxide	504	0007631-86-9		supplier declaration
Stearic acid	106; 9; 12; 703; 706; 722	0000057-11-4	SML 60 mg/kg	supplier declaration
Talc	615	0014807-96-6	SML 60 mg/kg	supplier declaration
Triisopropanolamine	292	0000122-20-3	SML 5 mg/kg	supplier declaration
Vinylidene fluoride	132	0000075-38-7	SML 5 mg/kg	supplier declaration
Zinc oxide	402	0001314-13-2	SML 5 mg/kg	supplier declaration
Zinc (Zn)		0007440-66-6		supplier declaration

Substances subject to SML or QM values are used and named, the compliance of the limits is confirmed for the stated types of food and conditions of application.

EuralPack nv - Wijtschotbaan 9, B-2900 Schoten - Tel. +32(0)3 354 14 42 - Fax +32(0)3 354 36 16  
KBO 0451.834.017 - KBC 416-3222601-61- IBAN BE62 4163 2226 0161 - BIC KREDBEBB  
info@euralpack.com - www.euralpack.com



EuralPack


*List of Additives with limits in foodstuff ("dual use additives")*

Name of substance	FCM No	CAS	E no.
2,6-DI-tert-BUTYL-p-CRESOL (BHT)	315	0000128-37-0	E 321
ACETIC ACID	115; 10	0000064-19-7	E 260
Aluminium (Al), incl. fibres, flakes and powders	501	0007429-90-5	E 173
CALCIUM CARBONATE	21	0000471-34-1	E 170
CALCIUM OXIDE	395	0001305-78-8	E 529
CITRIC ACID	139	0000077-92-9	E 330
Calcium stearate	106	0001592-23-0	E 470 a
IRON OXIDE	409	0001332-37-2	E 172
Magnesium Oxide	397	0001309-48-4	E 530
POLYETHYLENEGLYCOL	638	0025322-68-3	E 1521
POLYETHYLENEGLYCOL SORBITAN MONOLAURATE	568	0009005-64-5	E 432
QUARTZ	616	0014808-60-7	551
SILICON DIOXIDE	504	0007631-86-9	E 551
STEARIC ACID	106; 9; 12; 703; 706; 722	0000057-11-4	E 570
TALC	615	0014807-96-6	E 553b

Information about dual use additives according to Regulation (EU) No. 10/2011.

The following table lists group SML and other substances that may be present in traces:

Substance(s)
Acetaldehyd / acetaldehyde (CAS-No. 75-07-0)
Bestandteile tierischen Ursprungs / ingredients of animal origin
Chlor/ chlorierte Verbindungen / chlorine/ chlorinated compounds
Dioxan / 1,4-Dioxane (CAS-No. 123-91-1)
Ethylenimin/ ethyleneimine (CAS-No. 151-56-4)
Formaldehyd / formaldehyde (CAS-No. 50-00-0)



EuralPack

Methanol / methanol (CAS-No. 67-56-1)
n-Hexan / N-hexane (CAS-No. 110-54-3)
pflanzlicher Ursprung, möglicherweise GVO / plant origin, possibly GMO
Silicium / silica (quartz) (CAS-No. 14808-60-7)
Tetrahydrofuran / tetrahydrofuran (CAS-No. 109-99-9)

### Functional barrier

If a functional barrier is used in a multi-layer material, we declare that the material complies with the requirements of Article 13 (2), (3) and (4) or Article 14 (2) and (3) of the Regulation (EU) No. 10/2011.

### General Information

In terms of EU-framework Directive (EC) No. 1935/2004 and §§ 30 and 31 LFGB, published in the Bundesgesetzblatt (Federal Law Gazette) No 55 of 6.09.2005 there are no objections against the use of the product for the manufacture of articles intended for food contact.

This declaration is valid for the product delivered by us as specified above. The Regulation (EU) No. 10/2011 provides guidelines for the selection of test conditions to be used for various food products. According to that and under consideration of the food contact conditions stated, the product complies with the stipulations of these Regulations regarding the packaging of food products to be packed. The user shall verify himself that the product is suitable for the intended food to be packed beyond the stipulations of the Directives.

In particular it is emphasized that in case of printed material, no contact is allowed between the printing ink and the food product.

Schoten, 05-01-2023

Printed 19-02-2024

Nathalie Nicolai

Responsible Quality  
EuralPack nv