

Neopack NV Industrielaan 29 B 9300 AALST (+32)(0)53 70 35 42 info@neopack.be



Technical Data Sheet

02/07/2024

Article

Article Code
Customer Article Code
Description
Dimensions L(Ø) x W x H (mm)
Raw Material
Temperature Resistance
Microwaveable
Colour
Foil Thickness (μ)
Theoretical weight (gr)/piece

114PP-64C	
Square Cup	
114 x 114 x 64	
PP	
-20 to +120 °C	
Yes	
Transparent	
300	
9,20	± 10%

Packaging

Quantity/Box
Quantity/Subpackage
Subpackage/Box
Box Dimensions L x W x H (mm)
Net Weight Full Box (gr)
Net Weight/LDPE Sleeve (gr)
Net Weight LDPE Sleeves/Box (gr)
Net Weight Empty Box (gr)
Gross Weight Full Box (gr)
EAN Code Box

500	
50	
10	LDPE Bag
595 x 260 x 325	
4.600,00	
10,00	
100,00	
600,00	
5.300,00	

Pallet

Pallet Size (mm)
Boxes/Pallet Layer
Layers/Pallet
Boxes/Pallet
Pieces/Pallet
Net Weight Empty Pallet (gr)
Gross Weight Full Pallet (gr)

1200 x 800 x 1950
6
7
42
21.000
15.000,00
237.600,00

Declaration of Conformity with the EC Regulation 1935/2004 & 10/2011 & 2023/2006

Neopack NV hereby certifies that the aforementioned product which is intended to come into contact with foodstuffs is in accordance with the following regulations and recommendations:

- EC Regulation 1935/2004 & 10/2011 (+ Regulation 2015/174), + all amendments



Simulant	Food Contact Conditions	Testing Conditions
D2 (Oil)	Olive Oil	10 Days / 40 °C
A (Aquaous)	10% Ethanol	10 Days / 40 °C
B (Acidic)	3% Acetic Acid	10 Days / 40 °C

Type of foodstuff determined to get into contact with the material: All foodstuffs.

Storage: Keep in a dry place, out of direct sunlight, between 15 $^{\circ}$ C & 25 $^{\circ}$ C, in the original packaging.

Proportion surface/volume: theoretical assumption that 1kg foodstuff is packed by 6 dm³ material.

This product is manufactured according to the stipulated rulings and under normal circumstances of use, it does not involve any unacceptable modification to the composition or change or the organoleptic nature of the foodstuffs.

